

1. Identification

Product Name Tint Trim Semi Gloss Paint Company Name Tint

SKU TBAT ABN 32 169 779 257

Product Use As a high quality water based Address 49 Argyle Street

semi-gloss acrylic finish for Fitzroy, VIC, 3065 interior walls and ceilings. Australia

2. Hazards Identification

GHS Classification Dangerous Goods Classification

Based on available information, this material
Is classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Health criteria of Safe Work Australia.

Goods by Road and Rail".

3. Composition Information

Ingredients determined to be non-hazardous 100%

4. First Aid Measures

Inhalation Move to fresh air. Call a doctor if symptoms develop or persist.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair

with running water. If irritation occurs seek medical advice.

Eye If in eyes wash out immediately with water. In all cases of eye contamination it is a

sensible precaution to seek medical advice.

Ingestion Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of

water to drink. If vomiting occurs give further water. Seek medical advice.

Advice to First Aiders Be aware of the material(s) involved, and wear protective equipment

if there is a risk of inhalation or skin and eye contamination.

First Aid Facilities Eye wash and normal washroom facilities.

5. Fire-Fighting Measures

Specific Hazards Non-combustible material.

Hazchem Code Not applicable

Suitable Extinguishing Media If material is involved in a fire use water fog (or if unavailable

fine water spray), foam, dry agent (carbon dioxide, dry chemical).

Fire-Fighting Further Advice Not combustible, however following evaporation of aqueous

component residual material can burn if ignited. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of

exposure to vapour or products of combustion

6. Accidental Release Measure

Small Spills Wear protective equipment to prevent skin and eye

contamination. Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal

household garbage.

Large Spills Slippery when spilt. Avoid accidents, clean up immediately. Wear protective

equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain — prevent run off into drains and waterways. Use absorbent (soil,sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or

waterways has occurred advise local emergency services.

Dangerous Goods Initial Emergency Response Guide Number not applicable.

7. Handling and Storage

Handling Keep out of reach of children. Avoid eye contact and repeated or prolonged skin

contact and inhalation of any vapour.

Storage Store in a cool, dry, well-ventillated place and out of direct sunlight. Store away

from incompatible materials described in Section 10. Keep containers closed when

not in use. Check regularly for leaks.

8. Exposure Controls and Personal Protection

National Occupational Exposure Standards No value assigned for this specific material by

Safe Work Australia.

Biological Limit Values As per the "National Model Regulations for the Contraol of Workplace

Hazardous Substances (Safe Work Australia)" the ingredients in this

material do not have a Biological Limit Allocated.

Engineering MeasuresUse only in well ventilated areas. Keep containers closed when not in use.

Protective Equipment Overalls, safety shoes, safety glasses, gloves.

Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for

intermittent contact. However, due to variations in glove construction and

local conditions, the user should make a final assessment.

Hygiene Measures Always wash hands before smoking, eating, drinking or using the toilet.

Wash contaminated clothing and other protective equipment before

storing or re-using.

If risk of inhalation exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. Physical and Chemical Properties

Total Volatile Organic Compounds (VOC) <36 g/lt

AppearanceWhite viscous liquidFlash Point (°C)Not applicableOdourLowFlammability Limits (%)Not applicableOdour ThresholdNot availableMelting Point/Range (°C)Not applicable

Specific Gravity (20 °C) 1.1 - 1.3 Boiling Point/Range (°C) >100

Vapour Pressure (20 °C) Not available Relative Vapour Density (air=1) >1

pH 8 - 10 Autoignition Temperature (°C) Not applicable
Solubility Miscible in water Viscosity Not available

10. Stability and Reactivity

Reactivity No reactivity hazards are known for this material.

Chemical stability This material is thermally stable when stored and used as directed.

Hazardous reactions No known hazardous reactions.

Conditions to avoid Elevated temperatures.

Incompatible materials Incompatible with oxidising agents.

Hazardous decomposition products Oxides of carbon and nitrogen, smoke and other toxic fumes.

11. Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are —

Inhalation Where this material is used in a poorly ventillated area, at elevated temperature

or in confined spaces, vapour may cause irritation to mucous membranes and

respiratory tract, headache and nausea.

Skin contact Contact with skin may result in irritation.

Ingestion No adverse effects expected, however large amounts may cause nausea and

vomiting.

Eye contact May be an eye irritant.

Acute toxicity

This product has been classified as non-hazardous.

Chronic toxicity

This product has been classified as non-hazardous.

12. Ecological Information

Avoid contaminating waterways.

Ecotoxicity

Persistence and degradability

Mobility

No information available

No information available

13. Disposal Considerations

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled dispose in accordance with local, regional, national and international regulations.

14. Transport Information

Road and Rail Transport Not classified as Dangerous Goods by the criteria of the "Australian Code

for the Transport of Dangerous Goods by Road and Rail".

Marine Transport Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG) Code) for transport by sea.

Air Transport Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport

by air.

15. Regulatory Information

Based on available information, this material is not classified as hazardous according to health criteria of Safe Work Australia. Non-hazardous substance.

The Standard for the Uniform Scheduling of Medicines and Poisons No. 7. Not Scheduled.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS), or exempted.

16. Other Information

Issue Number 1.4 Date Issued 05 March 2024
Emergency Number Poisons Information Centre Telephone Number 1800 573 187

11 26 Mon-Fri, 9am-5pm

From anywhere and anytime in Australia

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Tint cannot anticipate or control the conditions under which the product may be used, prior to usage, review the SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.